

## Laboratory Hazard Information Poster

Building:

Lab Room No:

Supervisor's Name:

Supervisor's Office:

Phone Ext.

Email:

This Lab Contains the Following Hazardous Chemicals or Equipment


### NFPA Hazard Rating System:

#### Most Toxic Substance

Name:

Quantity in lab:

**Health Hazard**  
 4 - Deadly  
 3 - Extremely danger  
 2 - Hazardous  
 1 - Slightly Hazardous  
 0 - Normal Material



**Flammability Hazard**  
 4 - Material with a flash point below 73 °F  
 3 - Material with a flash point below 100 °F  
 2 - Material with a flash point below 200 °F  
 1 - Material with a flash point above 200 °F  
 0 - Will Not Burn

**Special Hazards**


**Reactivity**  
 4 - May detonate  
 3 - Shock and heat may detonate  
 2 - Violent chemical change  
 1 - Unstable when heated  
 0 - Stable

#### Largest Quantity Substance

Name:

Quantity in lab:

**Health Hazard**  
 4 - Deadly  
 3 - Extremely danger  
 2 - Hazardous  
 1 - Slightly Hazardous  
 0 - Normal Material



**Flammability Hazard**  
 4 - Material with a flash point below 73 °F  
 3 - Material with a flash point below 100 °F  
 2 - Material with a flash point below 200 °F  
 1 - Material with a flash point above 200 °F  
 0 - Will Not Burn

**Special Hazards**

**Reactivity**  
 4 - May detonate  
 3 - Shock and heat may detonate  
 2 - Violent chemical change  
 1 - Unstable when heated  
 0 - Stable

Additional Hazards:

Personal Protective Equipment Required to Work in the Lab:

Additional PPE Required:

**If you observe a problem in this room, contact Campus Security at 705 748-1333**

Date Form Completed (mm/dd/yyyy)